



18 Michigan Road  
Kelso, NSW 2795

Phone 02 6332 2717  
www.centralwestbricks.com

## Technical Data Sheet

## BRICKWORKS

Product Range	Product Name	Dimensional Illustration	Swatch	State	Length (mm)	Width (mm)	Height (mm)	Dimensional Category	Average Weight/Unit (kg)	Core Volume (%)	Units Per m Squared	Pack Size	Characteristic Unconfined Compressive Strength (fuc) (Mpa)	Cold Water Absorption (%)	Initial Rate of Absorption (IRA)	eFactor	Durability Class	Liability to Effloresce	Lime Pitting Liability	Solar Absorptance Rating
Park Lane	Biltmore			NSW	230	110	76	DW1	2.7	<38	48.5	400	>10	<10	0.1-1.0	<1.0	Exposure Grade	Slight	Slight	0.58
Park Lane	Chesterfield			NSW	230	110	76	DW1	2.7	<38	48.5	400	>10	<10	0.1-1.0	<1.0	Exposure Grade	Slight	Slight	TBA
Park Lane	Dorchester			NSW	230	110	76	DW1	2.7	<30	48.5	400	>10	<10	0.1-1.0	<1.0	Exposure Grade	Slight	Slight	0.71
Park Lane	Grosvenor			NSW	230	110	76	DW1	2.7	<30	48.5	400	>10	<10	0.1-1.0	<1.0	Exposure Grade	Slight	Slight	0.66
Park Lane	Mayfair			NSW	230	110	76	DW1	2.7	<38	48.5	400	>10	<10	0.1-1.0	<1.0	Exposure Grade	Slight	Slight	0.67
Park Lane	Westminster			NSW	230	110	76	DW1	2.7	<38	48.5	400	>10	<10	0.1-1.0	<1.0	Exposure Grade	Slight	Slight	0.58