

reinforcement



18 Michigan Road Kelso, NSW 2795 **Phone 02 6332 2717** www.centralwestbricks.com

Product Details	
range name	EXPLORER
finish	SMOOTH
colours	CHARCOAL, GREY
product code description	EXPLORER 200 SMOOTH 1.2M STANDARD SLEEPER
Properties and	l Specifications
actual dimensions (length x width x height mm)	1200 X 200 X 75MM
dimensional category	-
average weight (KG)	40
durability class (as per AS600)	B2
number per sqm/lm	4.7
number per pallet	-
number per tonne	25
characteristic unconfined compressive strength (MPa)	50
minimum reinforcement cover	25mm

Diagram	

2-N12





Diagram

Product Details	
range name	EXPLORER
finish	SMOOTH
colours	CHARCOAL, GREY
product code description	EXPLORER 200 SMOOTH 1.53M STANDARD SLEEPER
Properties an	nd Specifications
actual dimensions (length x width x height mm)	1530 X 200 X 75MM
dimensional category	-
average weight (KG)	49
durability class (as per AS600)	B2
number per sqm/lm	3.27
number per pallet	-
number per tonne	20.41
characteristic unconfined compressive strength (MPa)	50
minimum reinforcement cover	25mm
reinforcement	2-N12





Product Details	
range name	EXPLORER
finish	SMOOTH
colours	CHARCOAL, GREY
product code description	EXPLORER 200 SMOOTH 2M STANDARD SLEEPER
Properties and	l Specifications
actual dimensions (length x width x height mm)	2000 X 200 X 75MM
dimensional category	-
average weight (KG)	67
durability class (as per AS600)	B2
number per sqm/lm	2.5
number per pallet	-
number per tonne	14.93
characteristic unconfined compressive strength (MPa)	50
minimum reinforcement cover	25mm
reinforcement	2-N12

Diagram	





Product Details	
range name	EXPLORER
finish	SMOOTH
colours	GREY
product code description	EXPLORER 400 SMOOTH 2M STANDARD PANEL
Properties an	ad Specifications
actual dimensions (length x width x height mm)	2000 X 400 X 75MM
dimensional category	-
average weight (KG)	150
durability class (as per AS600)	B2
number per sqm/lm	0.5
number per pallet	-
number per tonne	6.25
characteristic unconfined compressive strength (MPa)	50
minimum reinforcement cover	25mm
reinforcement	N10 Mesh

Diagram	
	Diagram





Product Details	
range name	EXPLORER
finish	SMOOTH
colours	GREY
product code description	EXPLORER 600 SMOOTH 2M STANDARD PANEL
Properties and	l Specifications
actual dimensions (length x width x height mm)	2000 X 600 X 75MM
dimensional category	-
average weight (KG)	240
durability class (as per AS600)	B2
number per sqm/lm	0.83
number per pallet	-
number per tonne	4.17
characteristic unconfined compressive strength (MPa)	50
minimum reinforcement cover	25mm
reinforcement	N10 Mesh

Diagram



Product Details	
range name	EXPLORER
finish	SMOOTH
colours	GREY
product code description	EXPLORER 1000 SMOOTH 2M STANDARD PANEL
Properties and	l Specifications
actual dimensions (length x width x height mm)	2000 X 1000 X 75MM
dimensional category	-
average weight (KG)	390
durability class (as per AS600)	B2
number per sqm/lm	0.5
number per pallet	-
number per tonne	2.56
characteristic unconfined compressive strength (MPa)	50
minimum reinforcement cover	25mm
reinforcement	N10 Mesh

Diagram		