



18 Michigan Road
Kelso, NSW 2795
Phone 02 6332 2717
www.centralwestbricks.com

Range: Mineral Contours

Colour: Feldspar Taupe

SKU: 410880015690000323100

Product Specifications

Length (mm)	230
Width (mm)	110
Height (mm)	76
Dimensional Category	DW2
Core Volume (%)	<38
Units per Square Metre	48.5
Pack Size	520
Characteristic Unconfined Compressive Strength (f'uc) MPa	>15
Maximum Cold Water Absorption (%)	<9
Initial Rate of Absorption (IRA) (kg/m ² min)	1.0-3.0

Coefficient of Expansion e'Factor (mm/m)	<1.0
Durability Class	Exposure Grade
Liability to Efflorescence	Slight
Lime Pitting Liability	Nil

A BRAND OF
BRICKWORKS



18 Michigan Road
Kelso, NSW 2795
Phone 02 6332 2717
www.centralwestbricks.com

Range: Mineral Contours

Colour: Mineral Sands

SKU: 410880015700000323100

Product Specifications

Length (mm)	230
Width (mm)	110
Height (mm)	76
Dimensional Category	DW2
Core Volume (%)	<38
Units per Square Metre	48.5
Pack Size	520
Characteristic Unconfined Compressive Strength (f'uc) MPa	>15
Maximum Cold Water Absorption (%)	<9
Initial Rate of Absorption (IRA) (kg/m ² min)	1.0-3.0

Coefficient of Expansion e'Factor (mm/m)	<1.0
Durability Class	Exposure Grade
Liability to Efflorescence	Slight
Lime Pitting Liability	Nil

A BRAND OF

BRICKWORKS



18 Michigan Road
Kelso, NSW 2795
Phone 02 6332 2717
www.centralwestbricks.com

Range: Mineral Contours

Colour: Gypsum Tan

SKU: 410880015710000323100

Product Specifications

Length (mm)	230
Width (mm)	110
Height (mm)	76
Dimensional Category	DW2
Core Volume (%)	<38
Units per Square Metre	48.5
Pack Size	520
Characteristic Unconfined Compressive Strength (f'uc) MPa	>15
Maximum Cold Water Absorption (%)	<9
Initial Rate of Absorption (IRA) (kg/m ² min)	1.0-3.0

Coefficient of Expansion e'Factor (mm/m)	<1.0
Durability Class	Exposure Grade
Liability to Efflorescence	Slight
Lime Pitting Liability	Nil

A BRAND OF

BRICKWORKS



18 Michigan Road
Kelso, NSW 2795
Phone 02 6332 2717
www.centralwestbricks.com

Range: Mineral Contours

Colour: Mica Grey

SKU: 410880015720000323100

Product Specifications

Length (mm)	230
Width (mm)	110
Height (mm)	76
Dimensional Category	DW2
Core Volume (%)	<38
Units per Square Metre	48.5
Pack Size	520
Characteristic Unconfined Compressive Strength (f'uc) MPa	>15
Maximum Cold Water Absorption (%)	<9
Initial Rate of Absorption (IRA) (kg/m ² min)	1.0-3.0

Coefficient of Expansion e'Factor (mm/m)	<1.0
Durability Class	Exposure Grade
Liability to Efflorescence	Slight
Lime Pitting Liability	Nil

A BRAND OF

BRICKWORKS